

Public Notices

Rockville 2025 Drinking Water Report

This report contains important information about your drinking water. Have someone translate it for you, or speak with someone who understands it.

Información importante. Si no la entiende, haga que alguien se la traduzca ahora.

Making Safe Drinking Water

Your drinking water comes from a groundwater source: four wells ranging from 42 to 93 feet deep, that draw water from the Quaternary Buried Artesian aquifer.

Rockville works hard to provide you with safe and reliable drinking water that meets federal and state water quality requirements. The purpose of this report is to provide you with information on your drinking water and how to protect our precious water resources.

Contact Tom Valerius, Water Supervisor, at (320) 224-8171 or water.sewer@rockvillecity.org if you have questions about Rockville's drinking water. You can also ask for information about how you can take part in decisions that may affect water quality.

The U.S. Environmental Protection Agency sets safe drinking water standards. These standards limit the amounts of specific contaminants allowed in drinking water. This ensures that tap water is safe to drink for most people. The U.S. Food and Drug Administration regulates the amount of certain contaminants in bottled water. Bottled water must provide the same public health protection as public tap water.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily mean that water poses a health risk. More information about contaminants and potential health effects can be obtained by visiting the website epa.gov/safewater.

Rockville Monitoring Results

This report contains our monitoring results from January 1 to December 31, 2025.

We work with the Minnesota Department of Health to test drinking water for more than 100 contaminants. It is not unusual to detect contaminants in small amounts. No water supply is ever completely free of contaminants. Drinking water standards protect Minnesotans from substances that may be harmful to their health.

Learn more by visiting the Minnesota Department of Health's webpage Basics of Monitoring and testing of Drinking Water in Minnesota (<https://www.health.state.mn.us/communities/environment/water/factsheet/sampling.html>).

How to Read the Water Quality Data Tables

The tables below show the contaminants we found last year or the most recent time we sampled for that contaminant. They also show the levels of those contaminants and the Environmental Protection Agency's limits. Substances that we tested for but did not find are not included in the tables.

We sample for some contaminants less than once a year because their levels in water are not expected to change from year to year. If we found any of these contaminants the last time we sampled for them, we included them in the tables below with the detection date.

We may have done additional monitoring for contaminants that are not included in the Safe Drinking Water Act. To request a copy of these results, call the Minnesota Department of Health at 651-201-4700 between 8:00 a.m. and 4:30 p.m., Monday through Friday.

Definitions

- AL (Action Level):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Contaminant:** Any physical, chemical, biological, or radiological substance or matter in water.
- EPA:** Environmental Protection Agency.
- MCL (Maximum contaminant level):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- MCLG (Maximum contaminant level goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- MRDL (Maximum residual disinfectant level):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- MRDLG (Maximum residual disinfectant level goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- NA (Not applicable):** Does not apply.
- ppb (parts per billion):** One part per billion in water is like one drop in one billion drops of water, or about one drop in a swimming pool. ppb is the same as micrograms per liter (µg/l).
- ppm (parts per million):** One part per million is like one drop in one million drops of water, or about one cup in a swimming pool. ppm is the same as milligrams per liter (mg/l).
- ppt (parts per trillion):** One part per trillion is like one drop in one trillion drops of water, or about one drop in 20 Olympic sized swimming pools. ppt is the same as nanograms per liter (ng/l).
- PWSID:** Public water system identification.
- TBD (To be determined):** Determined at a later date.

Monitoring Results – Regulated Substances

LEAD AND COPPER – Tested at customer taps.							
Contaminant (Date, if sampled in previous year)	EPA's Ideal Goal (MCLG)	EPA's Action Level	90% of Results Were Less Than	Number of Homes with High Levels	Range of Detected Test Results	Violation	Typical Sources
Lead (09/01/23)	0 ppb	90% of homes less than 15 ppb	<2 ppb	1 out of 10	0 - 31 ppb	NO	Corrosion of household plumbing.
Copper (09/01/23)	1.3 ppm	90% of homes less than 1.3 ppm	0.48 ppm	0 out of 10	0.02 - 0.54 ppm	NO	Corrosion of household plumbing.

INORGANIC & ORGANIC CONTAMINANTS – Tested in drinking water.						
Contaminant (Date, if sampled in previous year)	EPA's Ideal Goal (MCLG)	EPA's Limit (MCL)	Highest Average or Highest Single Test Result	Range of Detected Test Results	Violation	Typical Sources
Nitrate	10 ppm	10 ppm	0.61 ppm	0.07 - 0.61 ppm	NO	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Barium (01/22/24)	2 ppm	2 ppm	0.17 ppm	N/A	NO	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposit.

CONTAMINANTS RELATED TO DISINFECTION – Tested in drinking water.						
Substance (Date, if sampled in previous year)	EPA's Ideal Goal (MCLG or MRDLG)	EPA's Limit (MCL or MRDL)	Highest Average or Highest Single Test Result	Range of Detected Test Results	Violation	Typical Sources
Total Trihalomethanes (TTHMs)	N/A	80 ppb	12.1 ppb	N/A	NO	By-product of drinking water disinfection.
Total Haloacetic Acids (HAA)	N/A	60 ppb	2.4 ppb	N/A	NO	By-product of drinking water disinfection.
Total Chlorine	4.0 ppm	4.0 ppm	1.25 ppm	0.71 - 1.92 ppm	NO	Water additive used to control microbes.

Total HAA refers to HAAs

OTHER SUBSTANCES – Tested in drinking water.						
Substance (Date, if sampled in previous year)	EPA's Ideal Goal (MCLG)	EPA's Limit (MCL)	Highest Average or Highest Single Test Result	Range of Detected Test Results	Violation	Typical Sources
Fluoride	4.0 ppm	4.0 ppm	0.71 ppm	0.61 - 0.84 ppm	NO	Erosion of natural deposits; Water additive to promote strong teeth.

Potential Health Effects and Corrective Actions (If Applicable)

Fluoride: Fluoride is nature's cavity fighter, with small amounts present naturally in many drinking water sources. There is an overwhelming weight of credible, peer-reviewed, scientific evidence that fluoridation reduces tooth decay and cavities in children and adults, even when there is availability of fluoride from other sources, such as fluoride toothpaste and mouth rinses. Since studies show that optimal fluoride levels in drinking water benefit public health, municipal community water systems adjust the level of fluoride in the water to an optimal concentration between 0.5 to 0.9 parts per million (ppm) to protect your teeth. Fluoride levels below 2.0 ppm are not expected to increase the risk of a cosmetic condition known as enamel fluorosis.

PFAS (Per- and Polyfluoroalkyl Substances)						
Contaminant (with year, if sampled outside current year)	EPA's Ideal Goal (MCLG)	EPA's Limit (MCL)	Highest Average or Highest Single Test Result	Range of Detected Test Results	Violation	Typical Sources
Perfluorooctanesulfonate (PFOS)	0 ppt	4.0 ppt	1.5 ppt	0 - 1.6 ppt	TBD in Future	Discharge from manufacturing and industrial chemical facilities, use of certain consumer products, occupational exposures, and certain firefighting activities.
Perfluorooctanoic acid (PFOA)	0 ppt	4.0 ppt	0.54 ppt	0 - 0.88 ppt	TBD in Future	Discharge from manufacturing and industrial chemical facilities, use of certain consumer products, occupational exposures, and certain firefighting activities.

Monitoring Results – Unregulated Substances/Emerging Contaminants

In addition to testing drinking water for contaminants regulated under the Safe Drinking Water Act, we sometimes also monitor for contaminants that are not regulated. Unregulated contaminants do not have legal limits for drinking water. MDH, EPA, and other health agencies may have developed comparison values for some of these compounds. Some of these comparison values are based solely on potential health impacts and do not consider our ability to measure contaminants at very low concentrations nor the cost and technology of prevention and/or treatment. These values may be set at levels that are costly, challenging, or impractical for a water system to meet (for example, large-scale treatment technology may not exist for a given contaminant). Sample data are listed along with comparison values in the table below; it is important to note that these comparison values are not enforceable.

Detection alone of a regulated or unregulated contaminant should not cause concern. The significance of a detection should be determined considering current health effects information. We are often still learning about the health effects, so this information can change over time.

A person drinking water with a contaminant at or below the comparison value would be at little to no risk for harmful health effects. If the level of a contaminant is above the comparison value, people of a certain age or with special health conditions-like a fetus, infants, children, elderly, and people with impaired immunity—may need to take extra precautions. We are notifying you of the unregulated/emerging contaminants we have detected as a public education opportunity.

Unregulated contaminant monitoring helps EPA to determine where certain contaminants occur and whether the Agency should consider regulating those contaminants in the future.

- More information is available on MDH's A-Z List of Contaminants in Water (<https://www.health.state.mn.us/communities/environment/water/contaminants/index.html>)
- Fourth Unregulated Contaminant Monitoring Rule (UCMR 4) (<https://www.health.state.mn.us/communities/environment/water/com/ucmr4.html>)
- Fifth Unregulated Contaminant Monitoring Rule (<https://www.epa.gov/dwucmr/fifth-unregulated-contaminant-monitoring-rule>)
- EPA has developed a UCMR5 Program Overview Fact-sheet (<https://www.epa.gov/system/files/documents/2022-02/ucmr5-factsheet.pdf>) describing UCMR 5 contaminants and standards.

In the past year, your drinking water may have tested for additional unregulated contaminants as part of the Fifth Unregulated Contaminant Monitoring Rule (<https://www.epa.gov/dwucmr/fifth-unregulated-contaminant-monitoring-rule>) and results are still being processed. The Unregulated Contaminant Monitoring Rule 5 (UCMR 5) Data finder allows people to easily search for, summarize, and download the available UCMR 5 analytical results (<https://www.epa.gov/dwucmr/fifth-unregulated-contaminant-monitoring-rule-data-finder>).

UNREGULATED/EMERGING CONTAMINANTS – Tested in drinking water.			
Contaminant	Comparison Value	Highest Average Result or Highest Single Test Result	Range of Detected Test Results
Manganese (2021)	100 ppb	395 ppb	101.00 - 406.00 ppb
Sodium*	20 ppm	3.67 ppm	N/A
Sulfate	500 ppm	22 ppm	N/A
Perfluorobutanesulfonate (PFBS)	100 ppt	5.3 ppt	0.00 - 7.90 ppt
Perfluorobutanoic acid (PFBA)	7000 ppt	3.4 ppt	0.93 - 4.80 ppt
Perfluorohexanesulfonate (PFHxS)	47 ppt	46 ppt	0.00 - 72.00 ppt
Perfluorohexanoic acid (PFHxA)	200 ppt	1.28 ppt	0.00 - 1.90 ppt
Perfluoropentanoic acid (PFPeA)	N/A	0.22 ppt	0.00 - 0.67 ppt
Perfluoropentansulfonate (PFPeS)	N/A	8 ppt	0.00 - 13.00 ppt

*Note that home water softening can increase the level of sodium in your water.

In early 2024, MDH released new comparison values for two PFAS compounds, PFOA and PFOS. Additionally, EPA released final MCLs for PFAS on April 10th, 2024 but has announced intent to make changes to this rule. Additional information on PFAS system results may also be available in the PFAS MCL section of this report.

Some People Are More Vulnerable to Contaminants in Drinking Water

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available on EPA's website epa.gov/safewater.

Service Line Material Inventory

Rockville has completed and submitted our service line materials inventory to the Minnesota Department of Health. The service line inventory is publicly available, and you can check the materials for your service line by visiting the Lead Inventory Tracking Tool (LITT) (<https://maps.umn.edu/LSL/>). You may also contact us at water.sewer@rockvillecity.org (Tom Valerius). The City of Rockville used water system as-built plans, as well as a customer survey to determine service line status. This data was backed up when Rockville implemented a water meter change out plan in late 2025, during which service line data was recorded, and documented with pictures. This water meter change out plan included all residential

and commercial water meters. As of 10/29/2025, our inventory contains 0 lead, 10 galvanized requiring replacement, 101 unknown material, and 197 non-lead service lines.

Learn More about Your Drinking Water

Drinking Water Sources

Groundwater supplies 75 percent of Minnesota's drinking water, and found in aquifers beneath the surface of the land. Surface water supplies 25 percent of Minnesota's drinking water, and is the water in lakes, rivers, and streams above the surface of the land.

Contaminants can get in drinking water sources from the natural environment and from people's daily activities. There are six main types of contaminants in drinking water sources.

- **Microbial contaminants**, such as viruses, bacteria, and parasites. Sources include sewage treatment plants, septic systems, agricultural livestock operations, pets, and wildlife.
- **Inorganic contaminants** include salts and metals from natural sources (e.g. rock and soil), oil and gas production, mining and farming operations, urban stormwater runoff, and wastewater discharges.
- **Pesticide:** Generally, any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest.
- **Herbicide:** Any chemical(s) used to control undesirable vegetation.
- **Organic chemical contaminants** include synthetic and volatile organic compounds. Sources include industrial processes and petroleum production, gas stations, urban stormwater runoff, and septic systems.
- **Radioactive contaminants** such as radium, thorium, and uranium isotopes come from natural sources (e.g. radon gas from soils and rock), mining operations, and oil and gas production.

The Minnesota Department of Health provides information about your drinking water source(s) in a source water assessment, including:

- How Rockville is protecting your drinking water source(s);
- Nearby threats to your drinking water sources;
- How easily water and pollution can move from the surface of the land into drinking water sources, based on natural geology and the way wells are constructed.

Find your source water assessment at Source Water Assessments (<https://www.health.state.mn.us/communities/environment/water/swp/swa.html>) or call 651-201-4700 between 8:00 a.m. and 4:30 p.m., Monday through Friday.

Lead in Drinking Water

Lead can cause serious health problems, babies, children under six years, and pregnant women are at the highest risk. You may be in contact with lead through paint, water, dust, soil, food, hobbies, or your job. There is no safe level of lead.

Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for proving high quality drinking water and removing lead pipes from service lines but cannot control the variety of materials used in plumbing components in your home. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk.

Read below to learn how you can protect yourself from lead in drinking water.

- Let the water run** before drinking tap water flush your pipes for several minutes by running your tap. If you have a lead service line, you may need to let the water run longer. A service line is the underground pipe that brings water from the main water pipe under the street to your home.
 - Activities such as taking a shower, doing laundry or dishes help keep water moving in your home system but are not a replacement for running the tap before you drink if it has not been used for a long period of time.
 - The only way to know if lead has been reduced by letting it run is to check with a test. If letting the water run does not reduce lead, consider other options to reduce your exposure.
- Know your service line materials** by contacting your public water system, or you can search for your address online at the Minnesota Lead Inventory Tracking Tool (<https://maps.umn.edu/LSL/>).
- Protect Your Tap:** A quick check for lead (<https://www.epa.gov/ground-water-and-drinking-water/protect-your-tap-quick-check-lead>) is EPA's step by step guide to learn how to find lead pipes in your home.
- Use cold water** for drinking, making food, and making baby formula. Hot water releases more lead from pipes than cold water.
- Test your water.** In most cases, letting the water run and using cold water for drinking and cooking should keep lead levels low in your drinking water. If you are still concerned about lead, arrange with a laboratory to test your tap water. Testing your water is important if young children or pregnant women drink your tap water.
- Contact a Minnesota Department of Health accredited laboratory to purchase a sample container and instructions on how to submit a sample: Environmental Laboratory Accreditation Program (<https://eldo.web.health.state.mn.us/public/accreditedlabs/labsearch.seam>) The Minnesota Department of Health can help you understand your test results.
- Treat your water** if a test shows your water has high levels of lead after you let the water run. You can use a filter certified with ANSI/NSF standards 53 and 42 for lead reduction.
- Read about water treatment units: Point-of-Use Water Treatment Units for Lead Reduction (<https://www.health.state.mn.us/communities/environment/water/factsheet/poulead.html>) Information on lead in drinking water, testing methods, and other steps you can take to minimize exposure are available at:
 - Visit EPA Basic Information about Lead in Drinking Water (<http://www.epa.gov/safewater/lead>)
 - Visit the Minnesota department of Health Lead in Drinking Water (<https://www.health.state.mn.us/communities/environment/water/contaminants/lead.html>)
 - To learn about how to reduce your contact with lead from sources other than your drinking water, visit Lead Poisoning Prevention: Common Sources (<https://www.health.state.mn.us/communities/environment/lead/fs/common.html>)
- Be Aware:** Head Start Programs, Child Care Centers, Public and Charter Schools all have requirements to test for lead in drinking water. These programs can learn more about requirements and resources for testing and remediation at MDH Drinking Water in Schools and Child Cares (<https://www.web.health.state.mn.us/communities/environment/water/schools/index.html>)

Home Water Treatment

Overview

Most Minnesotans, whether they drink from a public water supply or a private well, have drinking water that does not need treatment for health protection. Water treatment units are best for improving the physical qualities of water—the taste, color, or odor.

No single treatment process can remove all substances in water. If you decide to install a home water treatment unit, choose a unit certified and labeled to reduce or remove the substance of concern. If there is more than one substance you want to remove from your water, you may need to combine several treatment processes into one system.

Even well-designed treatments systems can fail. You should continue to test your drinking water after you install a treatment unit. All home water treatment units need regular maintenance to work correctly. Regular maintenance may include changing filters, disinfecting the unit, or cleaning scale buildup. Always install, clean, and maintain a treatment unit according to the manufacturer's recommendations.

Beware of Water Treatment Scams

False claims, deceptive sales pitches, or scare tactics have been used by some water treatment companies. Every person has a right to decide what is best for themselves and their family, and you may

Public Notices continued from page 11

choose to install additional water treatment to further lower the levels of contaminants of emerging concern, chlorine, and other chemicals in your water. However, you should be cautious about purchasing a water treatment system.

Service Line Replacement

The City owns and is responsible for maintenance and repairs of the service line from the curb stop to the water main. The homeowner is responsible from the curb stop to the home, including all interior plumbing.

As a result of recent state and federal funding opportunities, the replacement of the portion of the lead and galvanized service line owned by the property owner may be completed at no cost to the owner. All funding will pass through Rockville and certain state and federal construction requirement must be met to be eligible for these funds so if you are interested in having your lead service line replaced, please contact 320-251-5836, and email cityhall@rockvillecity.org

Ownership of a service line is often split between the customer and water system. Rockville is required to replace the system owned portion of the lead service line when a property owner notifies us that they are replacing their portion beginning October 16, 2024. If the property owner replaces their portion of the service line without coordinating with Rockville, the property owner will be responsible for all costs related to the replacement of the privately owned portion of the service line.

(Publish April 21, 2026)

NOTICE OF MORTGAGE FORECLOSURE SALE

Date: March 24, 2026

YOU ARE NOTIFIED THAT:

1. Default has occurred in the conditions of the Mortgage dated October 28, 2024, executed by Arvola Builders Inc., a Minnesota corporation, as Mortgagor, to American Land & Capital, LLC, a Minnesota limited liability company, as Mortgagee, and filed for record October 29, 2024, as Document No. A1681375 in the Office of the Recorder of Stearns County, Minnesota. The land described in the Mortgage is not registered land.

2. The original principal amount secured by the Mortgage was: Two Hundred Seventy Thousand and No/100 Dollars (\$270,000.00).

3. No action or proceeding at law is now pending to recover the debt secured by the Mortgage, or any part thereof.

4. The holder of the Mortgage has complied with all conditions precedent to acceleration of the debt secured by the Mortgage and foreclosure of the Mortgage, and all notice and other requirements of applicable statutes.

5. At the date of this notice, the amount due on the Mortgage, and taxes, if any, paid by the holder of the Mortgage is: Two Hundred Eighty-One Thousand Seven Hundred Eighty-Four and 59/100 Dollars (\$281,784.59).

6. Pursuant to the power of sale in the Mortgage, the Mortgage will be foreclosed, and the land described as follows:

Lot 2, Block 4, Sandstone Village 2, Stearns County, Minnesota

will be sold by the County Sheriff of Stearns County, Minnesota, at public auction on May 19, 2026 at 10:00 a.m. at the Stearns County Sheriff's Office, Civil Division, 807 Courthouse Square, St. Cloud, Minnesota 56303.

7. The street address of the mortgaged property is 1928 Sandstone Loop S., Sartell, MN 56377, and the tax parcel identification number is 92.57071.0677.

8. The time allowed by law for redemption by Mortgagor or Mortgagor's personal representatives or assigns is six (6) months after the date of sale.

9. THE TIME ALLOWED BY LAW FOR REDEMPTION BY THE MORTGAGOR, THE MORTGAGOR'S PERSONAL REPRESENTATIVES OR ASSIGNS MAY BE REDUCED TO

FIVE WEEKS IF A JUDICIAL ORDER IS ENTERED UNDER MINNESOTA STATUTES, SECTION 582.032, DETERMINING, AMONG OTHER THINGS, THAT THE MORTGAGED PREMISES ARE IMPROVED WITH A RESIDENTIAL DWELLING OF LESS THAN FIVE UNITS, ARE NOT PROPERTY USED IN AGRICULTURAL PRODUCTION, AND ARE ABANDONED.

American Land & Capital, LLC
Mortgagee

Attorney for Mortgagee:
Ryan J. Trucke
Brutlag, Trucke & Doherty, P.A.
3555 Plymouth Boulevard, Suite 117
Minneapolis, MN 55447-1399
(763) 222-2504

(Pub. Mar. 31 - May 5, 2026)

MECHANIC LIEN SALE
Notice of Sale: 04/28/2026 at 09:00AM

Don Robinson Mitsubishi, 3711 Co Rd 137, St. Cloud, MN 56301
VIN: 4A4AR3AU5FE014302, 2015 Mitsubishi Outlander Sport
Being sold due to nonpayment of repair order in the amount of \$449

(Publish April 7 - 21, 2026)

STATE OF MINNESOTA COUNTY OF STEARNS

DISTRICT COURT 7th JUDICIAL DISTRICT
Court File Number: 73-CO-25-1473
Case Type: Conciliation

Notice of Remote Zoom Hearing

Kyle Leroy Waytashek vs Zackary Pierce

You are notified this matter is set for a remote hearing. This hearing will not be in person at the courthouse.

Hearing Information Conciliation Hearing
May 5, 2026
3:45 PM

The hearing will be held via Zoom and appearance shall be by video unless otherwise directed with Judicial Officer Shan C. Wang, Stearns County District Court.

The Minnesota Judicial Branch uses strict security controls for all remote technology when conducting remote hearings.

You must:
• Notify the court if your address, email, or phone number changes.

• Be fully prepared for the remote hearing. If you have exhibits you want the court to see, you must give them to the court before the hearing. Visit <https://www.mncourts.gov/Remote-Hearings> for more information and options for joining remote hearings, including how to submit exhibits.

• Contact the court at 320-656-3620 if you do not have access to the internet or are unable to connect by video.

• If you need an interpreter, contact the court before the hearing date to ask for one.

To join by internet:

• Type <https://zoomgov.com/join> in your browser's address bar.

• Enter the Meeting ID and Meeting Passcode (if asked):
Meeting ID: 161 848 9022
Passcode: 321020

• Update your name by clicking on your profile picture. If you are representing a party, add your role to your name, for example, John Smith, Attorney for Defendant.

• Click the Join Audio icon in the lower left-hand corner of your screen.

• Click Start Video.
Para obtener más información y conocer las opciones para participar en audiencias remotas, incluido cómo enviar pruebas, visite www.mncourts.gov/Remote-Hearings.

Booqo www.mncourts.gov/Remote-Hearings oo ka eego faahfaahin iyo siyaabaha aad uga qeybgeli karto dacwad-dhageysi ah fogaan-arag, iyo sida aad u soo gudbineyso wixii caddeymo ah.

Important!

You may be connecting from home, but it is still a court hearing. Pay attention and follow all rules.

Dated: March 20, 2026

George Lock
Stearns County Court Administrator

(Publish April 7 - 21, 2026)

STATE OF MINNESOTA COUNTY OF STEARNS

DISTRICT COURT 7th JUDICIAL DISTRICT
Court File Number: 73-CV-25-10059
Case Type: Civil Other/Misc.

Notice of Remote Zoom Hearing

Kyle Leroy Waytashek vs Commissioner of Public Safety, Zackary Pierce

You are notified this matter is set for a remote hearing. This hearing will not be in person at the courthouse.

Hearing Information Hearing
May 5, 2026
3:45 PM

The hearing will be held via Zoom and appearance shall be by video unless otherwise directed with Judicial Officer Shan C. Wang, Stearns County District Court.

The Minnesota Judicial Branch uses strict security controls for all remote technology when conducting remote hearings.

You must:
• Notify the court if your address, email, or phone number changes.

• Be fully prepared for the remote hearing. If you have exhibits you want the court to see, you must give them to the court before the hearing. Visit <https://www.mncourts.gov/Remote-Hearings> for more information and options for joining remote hearings, including how to submit exhibits.

• Contact the court at 320-656-3620 if you do not have access to the internet or are unable to connect by video.

• If you need an interpreter, contact the court before the hearing date to ask for one.

To join by internet:

• Type <https://zoomgov.com/join> in your browser's address bar.

• Enter the Meeting ID and Meeting Passcode (if asked):
Meeting ID: 161 848 9022
Passcode: 321020

• Update your name by clicking on your profile picture. If you are representing a party, add your role to your name, for example, John Smith, Attorney for Defendant.

• Click the Join Audio icon in the lower left-hand corner of your screen.

• Click Start Video.
Para obtener más información y conocer las opciones para participar en audiencias remotas, incluido cómo enviar pruebas, visite www.mncourts.gov/Remote-Hearings.

Booqo www.mncourts.gov/Remote-Hearings oo ka eego faahfaahin iyo siyaabaha aad uga qeybgeli karto dacwad-dhageysi ah fogaan-arag, iyo sida aad u soo gudbineyso wixii caddeymo ah.

Important!

You may be connecting from home, but it is still a court hearing. Pay attention and follow all rules.

Dated: March 20, 2026

George Lock
Stearns County Court Administrator

(Publish April 7 - 21, 2026)

able to connect by video.

• If you need an interpreter, contact the court before the hearing date to ask for one.

To join by internet:

• Type <https://zoomgov.com/join> in your browser's address bar.

• Enter the Meeting ID and Meeting Passcode (if asked):
Meeting ID: 161 848 9022
Passcode: 321020

• Update your name by clicking on your profile picture. If you are representing a party, add your role to your name, for example, John Smith, Attorney for Defendant.

• Click the Join Audio icon in the lower left-hand corner of your screen.

• Click Start Video.

Para obtener más información y conocer las opciones para participar en audiencias remotas, incluido cómo enviar pruebas, visite www.mncourts.gov/Remote-Hearings.

Booqo www.mncourts.gov/Remote-Hearings oo ka eego faahfaahin iyo siyaabaha aad uga qeybgeli karto dacwad-dhageysi ah fogaan-arag, iyo sida aad u soo gudbineyso wixii caddeymo ah.

Important!

You may be connecting from home, but it is still a court hearing. Pay attention and follow all rules.

Dated: March 20, 2026

George Lock
Stearns County Court Administrator

Filed in District Court State of Minnesota
Dated: March 20, 2026

(Publish April 7 - 21, 2026)

STATE OF MINNESOTA COUNTY OF STEARNS

DISTRICT COURT 7th JUDICIAL DISTRICT
Court File No.: 73-PR-26-2055

NOTICE OF INFORMAL PROBATE OF WILL AND INFORMAL APPOINTMENT OF PERSONAL REPRESENTATIVE AND NOTICE TO CREDITORS

In Re: Estate of Jeffrey J. Stotesbery, AKA Jeffrey John Stotesbery,

Decedent.

Notice is given that an Application for Informal Probate of Will and Informal Appointment of Personal Representative was filed with the Registrar, along with a Will dated August 9, 2010. The Registrar accepted the application and informally appointed Patrick D. Stotesbery, whose address is 24853 County Road 7, St. Augusta, MN 56301, to serve as the personal representative of the Decedent's estate.

Any heir, devisee or other interested person may be entitled to appointment as personal representative or may object to the appointment of the personal representative. Any objection to the appointment of the personal representative must be filed with the Court, and any properly filed objection will be heard by the Court after notice is provided to interested persons of the date of hearing on the objection.

Unless objections are filed, and unless the Court orders otherwise, the personal representative has the full power to administer the estate, including, after thirty (30) days from the issuance of letters testamentary, the power to sell, encumber, lease, or distribute any interest in real estate owned by the Decedent.

Notice is further given that, subject to Minn. Stat. §524.3-801, all creditors having claims against the Decedent's estate are required to present the claims to the personal representative or to the Court within four (4) months after the date of this notice or the claims will be barred.

Dated: March 31, 2026
Lea Hippe
Registrar

Dated: March 31, 2026
George Lock
Court Administrator

Filed in District Court State of Minnesota
Dated March 31, 2026

BURNS LAW OFFICE
Harry E. Burns
MN# 0139324
111 - 9th Avenue North
St. Cloud, MN 56303
(320) 252-8767
harryb@burnslawoffice.com
ATTORNEY FOR APPLICANT

(Publish April 14 & 21, 2026)

NOTICE TO CREDITORS AND CLAIMANTS OF E & B, INC.

NOTICE IS HEREBY GIVEN by E & B, Inc., a Minnesota corporation, that:

1. The corporation is in the process of voluntary dissolution pursuant to Section 302A.721, Minnesota Statutes.

2. The corporation has filed with the Minnesota Secretary of State a notice of intent to dissolve.

3. Said notice was filed with the Minnesota Secretary of State on April 8, 2026.

4. All claims by creditors or claimants must be presented in writing to Edwin Molitor, 11290 Grand Lake Road, Cold Spring, MN 56320.

5. All claims by creditors or claimants must be received within 90 days following the date of the first publication of this notice, and all those claiming through or under the creditor or claimant are forever barred from suing on that claim or otherwise realizing upon or enforcing it except as otherwise provided in Section 302A. 781, Minnesota Statutes.

E & B, INC.

Edwin Molitor
Its President

(Pub. April 14 - May 5, 2026)

Office of the Minnesota Secretary of State Certificate of Assumed Name Minnesota Statutes, Chapter 333

The filing of an assumed name does not provide a user with exclusive rights to that name. The filing is required for consumer protection in order to enable customers to be able to identify the true owner of a business.

ASSUMED NAME:
TNL Painting & Drywall

PRINCIPAL PLACE OF BUSINESS:
9228 COUNTY ROAD 4
SAINT JOSEPH, MN 56374
USA

APPLICANT(S):
Name:
TNL Painting, LLC

Address:
9228 COUNTY ROAD 4
SAINT JOSEPH, MN 56374
USA

SIGNED BY:
Tony Lieser

MAILING ADDRESS:
None Provided

EMAIL FOR OFFICIAL NOTICES:
tonyl@tnlpaintingllc.com

(Pub. April 14 & 21, 2026)

Office of the Minnesota Secretary of State Certificate of Assumed Name Minnesota Statutes, Chapter 333

The filing of an assumed name does not provide a user with exclusive rights to that name. The filing is required for consumer protection in order to enable customers to be able to identify the true owner of a business.

ASSUMED NAME:
Coherent Signal

PRINCIPAL PLACE OF BUSINESS:
509 SCHNEIDER DR
SAINT JOSEPH, MN 56374
USA

APPLICANT(S):

Name:
Nathan A Richards

Address:
509 SCHNEIDER DR
SAINT JOSEPH, MN 56374
USA

If you submit an attachment, it will be incorporated into this document. If the attachment conflicts with the information specifically set forth in this document, this document supersedes the data referenced in the attachment.

By typing my name, I, the undersigned, certify that I am signing this document as the person whose signature is required, or as agent of the person(s) whose signature would be required who has authorized me to sign this document on his/her behalf, or in both capacities. I further certify that I have completed all required fields, and that the information in this document is true and correct and in compliance with the applicable chapter of Minnesota Statutes. I understand that by signing this document I am subject to the penalties of perjury as set forth in Section 609.48 as if I had signed this document under oath.

SIGNED BY:
Nathan Richards

MAILING ADDRESS:
509 Schneider Dr
Saint Joseph, MN 56374

EMAIL FOR OFFICIAL NOTICES:
minnesotanate@gmail.com

(Publish April 21 & 28, 2026)

SECTION 00-1113 - ADVERTISEMENT FOR BIDS

GENERAL
1.1 PROJECT
A. Cold Spring City Hall & Police Department
27 Red River Ave S
Cold Spring, MN 56320

1.2 OWNER
A. City Of Cold Spring
27 Red River Ave S
Cold Spring, MN 56320
Stearns County

1.3 CONSTRUCTION MANAGER
A. Donlar Construction Corporation
601 28th Avenue South
Waite Park, MN 56387
Chris Osby
(320) 253-3795

1.4 PRE-BID MEETING
A. Pre-Bid Meeting will be held prior to date required for submission of Bids. Bidders are encouraged to attend to better understand the Project, and for dissemination of information and clarification of intent of Bidding Documents. Questions and responses will be published in an Addenda following conference.

B. Pre-Bid Meeting will be held 10:00 A.M on April 21st, 2026, at Cold Spring City Hall, 27 Red River Ave S Cold Spring, MN 56320

C. Site Visitation: Bidders may walk the Project site after the pre-bid meeting to familiarize themselves with project conditions.

D. Final Questions due to Donlar/HMA Architecture By 4pm April 24th, 2026.

1.5 BIDS DUE
A. May 5th, 2026 @ 2:00 P.M. local time.

1.6 PLACE DUE
A. Submit bids for work scopes 3A, 5A, 5B, 6A, 7A, 8A, 9A, 9B, 9C, 9D, 22A, 26A, 31A attention of Chris Osby at Donlar Construction Corporation, located

1. 601 28th Avenue South, Waite Park, MN 56387.
2. Chris.osby@donlarcorp.com

B. Bids will be opened in private with the Owner and Architect present and will be accepted by sealed envelope or email.

1.7 TYPE OF BIDDING, AND CLASSES OF WORK
A. Construction Manager will accept proposals from subcontractors for a prime contract for complete construction of their bid package.

B. Bidders are advised that prevailing wage requirements do not apply to this project.

1.8 AVAILABILITY OF DOCUMENTS
Drawings and specifications are on file at the following locations:

Public Notices
continued on page 13

We Are *HIRING*
Accounting & Office Administrator
We are seeking a detail-oriented and reliable individual to join our team as a Full Time, in person employee. This role combines bookkeeping, accounting duties, order entry and other office tasks. Some duties listed below.

- Maintain accurate financial records in QuickBooks.
- Manage accounts receivable and payable, including collections and commission audits
- Maintain accurate customer account records
- Provide general administrative support as needed

Health Insurance - Retirement PTO & Holiday Pay

SEND RESUME TO:
miranda@createalegacy.us
320-597-3070



Public Notices

continued from page 13

Donor
Purpose Nutrition/Ashlee
Loehrer
Item
\$499
Designated Purpose(if any)
Track, Dance, Coaches Assoc
Donor
Rockville Lions Club
Item
\$1500
Designated Purpose(if any)
DARE Program
Donor
Cold Spring Lions Club
Item
\$1500
Designated Purpose(if any)
DARE Program
Donor
Richmond Lions Club
Item
\$1000
Designated Purpose(if any)
DARE Program
The vote on adoption of the
Resolution was as follows:

Aye: Kollar, Nierenhausen,
Schurman, Vettleson, Thomp-
son, Bohnsack
Nay: None
Absent: None
Whereupon, said Resolution
was declared duly adopted.

A motion to approve the field
trip request for the Minne-
sota FFA Convention April
19-21, 2026 was made by Lynn
Schurman, seconded by Jen-
nifer Bohnsack. Motion carries
unanimously.

A motion to approve the
PLC staff development agree-
ment with Solution Tree was
made by Jennifer Bohnsack,
seconded by Matt Thompson.
Motion carries unanimously.

A motion to approve the stu-
dent expulsion as presented
was made by Lynn Schurman,
seconded by Matt Thompson.
Motion carries unanimously.

Member Matt Thompson in-
troduced the following resolu-
tion and moved its adoption:

WHEREAS, Nicholas Kep-
pler, River Lakes Head Hockey
Coach in Independent District
No. 750. BE IT RESOLVED, by
the School Board of Independ-
ent District No. 750, that the
coaching contract of Nicholas
Keppler, in Independent School
District No. 750, shall be non-
renewed effective 03-30-2026;
BE IT FURTHER RESOLVED,
that written notice be sent to
said employee regarding the
nonrenewal of the coaching
contract.

The motion for the adoption
of the preceding resolution was
duly seconded by Member Kay-
la Nierenhausen and upon vote
being taken thereon,

the following voted in favor
thereof: Kollar, Nierenhausen,
Schurman, Vettleson, Thomp-
son, Bohnsack

the following voted against
the same: None

whereupon said resolution
was declared duly passed and
adopted on March 30, 2026.

A motion to approve the
2026 Membership for Rich-
mond Civic and Commerce was
made by Lynn Schurman, sec-
onded by Jennifer Bohnsack.
Motion carries unanimously.

The ROCORI school board
discussed Prom and the the
question raised about 9th
grade students attending.

The ROCORI school board
discussed student recognition
and other logistics regarding
graduation.

Superintendent Kevin Ener-
son provided an update on the
district.

The Budget Comparison Re-
port for February 2026 was re-
viewed.

Board members made up-
dates on their respective com-
mittees.

Chair Vettleson called for
comments and requests from
visitors.

Upcoming events and activi-
ties on the school calendar
were reviewed.

The regular meeting ad-
journed at 6:48 pm.

Respectfully submitted:
Jenna Kollar, Clerk

(Publish April 21, 2026)

STATE OF MINNESOTA
COUNTY OF STEARNS

DISTRICT COURT
7TH JUDICIAL DISTRICT
Probate Court Division
Court File No.:
73-PR-26-2814

ORDER AND NOTICE OF
HEARING ON PETITION
FOR FORMAL PROBATE
OF WILL AND APPOINT-
MENT OF PERSONAL
REPRESENTATIVE
IN UNSUPERVISED
ADMINISTRATION AND
NOTICE TO CREDITORS

In Re: Estate of

Donald H. Danzl,
Decedent

TO ALL INTERESTED

PERSONS AND CREDITORS:

It is Ordered and Notice is
hereby given that on the 15th
day of May, 2026, at 8:45 A.M.,
a hearing will be held in the
above named Court at St.
Cloud, Minnesota, for the for-
mal probate of an instrument
purporting to be the will of the
above named decedent, dated
July 17, 1997, and for the ap-
pointment of Raymond Danzl,
whose address is 2491 S. Coon
Creek Dr. NW, Andover, MN
55304 and Dean Danzl, whose
address is 40175 County Road
1, Rice, MN 56367, as personal
representatives of the estate of
the above named decedent in
unsupervised administration,
and that any objections thereto
must be filed with the Court.
That, if proper, and no objec-
tions are filed, a personal rep-
resentative will be appointed to
administer the estate, to collect
all assets, pay all legal debts,
claims, taxes and expenses,
and sell real and personal
property, and do all necessary
acts for the estate.

**This hearing will be held
administratively and no ap-
pearances are required un-
less objections are filed. If
objections are filed a new
hearing date will be set.**

Notice is further given that
ALL CREDITORS having
claims against said estate are
required to present the same to
said personal representative or
to the Court Administrator
within four months after the
date of this notice or said
claims will be barred.

(COURT SEAL)

Dated: April 10, 2026
Ole Tvedten
Judge

Dated: April 10, 2026
George Lock
Court Administrator

Filed in District Court
State of Minnesota
Dated April 10, 2026

Attorney for Petitioner
Willenbring, Dahl, Wocken
& Zimmermann, PLLC
Kelly A. Springer
(0387850) (kkh)
318 Main Street - Box 417
Cold Spring, MN 56320
Telephone: (320) 685-3678

(Publish April 21 & 28, 2026)

**Office of the Minnesota
Secretary of State
Certificate of
Assumed Name
Minnesota Statutes,
Chapter 333**

The filing of an assumed
name does not provide a user
with exclusive rights to that
name. The filing is required for
consumer protection in order to
enable customers to be able to
identify the true owner of a
business.

ASSUMED NAME:
Mongo's Grill

PRINCIPAL PLACE OF
BUSINESS:
3701 W DIVISION ST
STE 103
SAINT CLOUD MN 56301
USA
APPLICANT(S):
Name:
MG Group, Inc.

Address:
22602 FOXDALE CT
SAINT AUGUSTA 56301
USA

If you submit an attach-
ment, it will be incorporated
into this document. If the at-
tachment conflicts with the in-
formation specifically set forth
in this document, this docu-
ment supersedes the data re-
ferenced in the attachment.

**By typing my name, I,
the undersigned, certify
that I am signing this docu-
ment as the person whose
signature is required, or as
agent of the person(s)
whose signature would be
required who has author-
ized me to sign this docu-
ment on his/her behalf, or
in both capacities. I further
certify that I have complet-
ed all required fields, and
that the information in this
document is true and cor-
rect and in compliance with
the applicable chapter of
Minnesota Statutes. I un-
derstand that by signing
this document I am subject
to the penalties of perjury
as set forth in Section
609.48 as if I had signed this
document under oath.**

SIGNED BY:
Frank Gustafson

MAILING ADDRESS:
None Provided

EMAIL FOR OFFICIAL
NOTICES:
bklein@willenbring.com

(Publish April 21 & 28, 2026)

Richmond News
continued from page 9

mailbox can be dangerous if
people don't know what's
below before they start dig-
ging. Buried underground
facilities, including electric
and natural gas lines, can
run inches from the surface
and can be easily damaged
with household tools. State
law requires anyone excava-
tating to notify Gopher
State One Call (GSOC) at
least two days before begin-
ning a project so utility
companies can mark the
approximate location of po-
tentially hazardous under-
ground facilities.

Digging without know-
ing the location of under-
ground utilities increases
the likelihood of uninten-
tional damage, which can
cause serious injuries, serv-
ice disruptions and repair
costs. Call 811 first so you
don't have to call 911 later.
Or go to the GSOC website
at [www.gopherstateone-
call.org](http://www.gopherstateone-call.org) and request under-
ground utilities near the
area you're digging be
marked.

**Signs There May Be a
Gas Leak**

- A rotten-egg smell
- Dirt or dust blowing
from a hole in the ground
- Blowing or hissing
sounds
- Dead vegetation

**If You Suspect a Natu-
ral Gas Leak**

- Stop digging and en-
sure everyone clears the
area.
- Do not use electrical
devices like light switches,
phones or garage door
openers.
- Call 911 from a safe
location and alert your
neighbors.
- Do not try to locate
the source of the leak or
shut off any natural gas
valves.

Richmond
Bucks: the
Easiest and Best
Spent Money
for Gifts!

Can you believe it? It's
almost May and with that
comes many occasions
where we, as consumers
will be trying to find that
"perfect gift". Mother's Day
is just around the corner
and we are on the heels of a
host of others: graduation,
Father's Day, weddings,
birthdays and anniver-
saries. In any case, perhaps
there is one way to main-
tain your sanity, save gas
and time, and support our
local businesses: Richmond
Bucks! Do you need a last
minute gift for someone
that has everything? Buy
them Richmond Bucks!

Now there are more op-
tions to purchase Richmond
Bucks! You can purchase
them at Richmond Food
Pride, Sharon's Gifts, Gilk
Services and Steil Insur-
ance Company during nor-
mal business hours. Rich-
mond Bucks are available
in denominations of \$5, \$10
and \$20. You also have the
option to order by mail.
Just send check or money
order and place an order to:
Richmond Civic and
Commerce
P.O. Box 355
Richmond, MN 56368

Richmond Bucks can be
redeemed at any Richmond
business, just like cash! In-
credible gift idea for those
"hard to shop for" types,
the ones that have every-
thing, for folks on a strict
budget-great way for them
to shop for their essentials,
the list is endless! Great for
those who are homebound:
you can still shop at home!
No internet, no shipping
fee's except the postage
stamp should you mail your
order. What about kids and
teens? Teens who drive
need gas, movies, sodas
and snacks, why not a
Richmond Buck!

Richmond Bucks: Our
little way of taking the
"hassle" out of shopping!

Out and About!

**Minnesota Horse Expo
April 24th - 26th**

Minnesota's largest
equine trade show with
over 240 trade show booths
and a myriad of vendors
creating an easy access
marketplace for anyone
wanting to find merchan-
dise related to horses/own-
ers and compare brands,
prices and features. Don't
forget to check out the
Barnes PRCA Rodeo at the
Coliseum. For more infor-
mation, please call 952-
356-2029 or visit [www.mn-
horseexpo.org](http://www.mn-horseexpo.org).

100 Mile Garage Sale!

Calling all Garage Sale
Fanatics! Start making
plans for the 100 Mile
Garage Sales, Friday, Sat-
urday and Sunday: May 7-
10, 2026, beginning at 8
a.m.! More garage sales
than you can count! There
are various Mississippi Val-
ley Partners sponsors in-
cluding Red Wing and
Winona (Hwy. 61) the 100-
Mile Garage Sale that
spans all towns along Lake
Pepin up through Hastings
across to Prescott, WI and
back down around the lake.
Check with various town
Chamber of Commerce of-
fices for details. For more
information, contact local
participating Chamber of
Commerce's for more infor-
mation or visit the Face-
book page at 100 Mile
Garage Sale 2026.

**Farm Babies Event
Opens at the Minnesota
Zoo April 25-May 17,
2026!**

Yes, we live a rural area
where you are up close and
personal with farm animals
on a daily basis or you have
friends or relatives that do!
But, believe it or not, there
are still young ones in the
area that do not have that
opportunity and this is just
for them! "Farm Babies," is
an annual rite of spring at
the Minnesota Zoo's Wells
Fargo Family Farm, open
April 1st through April
30th from 10 a.m. - 4 p.m.

One of the biggest (and
cutest) Zoo events of the
year, "Farm Babies" will
feature the newest mem-
bers of the Zoo family with
baby chicks, piglets, lambs,
calves, goat kids, bunnies
and ducklings. Volunteers
will be available for ques-
tions and assist with
"hands-on" interaction with
the baby animals.

Activities this year in-
clude:

Saturdays & Sundays 10
a.m. - 4 p.m.

- Farm Babies & Moms
- Pop-up Animal Demos
- Education Activity
Station
- Games and Photo Ops
- Farm House Refresh-
ments
- Special Presentations
- Community Partners
- Story Time

Music at the Farm at 10
a.m., 12 p.m. and 2 p.m.

- April 25th & 26th:
World Beat Duo
- May 2nd & 3rd: Slim
Pickins (Saturday) and
Thyme and the Spice (Sun-
day)
- May 9th & 10th: The
Argyle Street Trio (Sat-
urday) and Silk & Sandpaper
(Sunday)
- May 16th & 17th: The
Jorgensens

The Minnesota Zoo is lo-
cated in Apple Valley, just
minutes south of Mall of
America. For more infor-
mation, call 800-366-7811
or visit mnzoo.org.

• May 16th & 17th: The
Jorgensens

The Minnesota Zoo is lo-
cated in Apple Valley, just
minutes south of Mall of
America. For more infor-
mation, call 800-366-7811
or visit mnzoo.org.

• May 16th & 17th: The
Jorgensens

The Minnesota Zoo is lo-
cated in Apple Valley, just
minutes south of Mall of
America. For more infor-
mation, call 800-366-7811
or visit mnzoo.org.

Please Continue
to Support Our
Businesses!
It is Greatly
Appreciated!

*Have a Great Week!! If
You Drink, Please, Don't
Drive! Til' Next Time~*

Rockville News

Rockville
City Council
Meetings**Regular Scheduled
Monthly Meetings**

- Council meetings are
the 2nd Wednesday of each
month at 6:30 p.m. Work-
shop (if needed) at 5:30
p.m.
- Last Wednesday of the
month meetings are as
needed.
- Meeting location:
Rockville City Hall, 229
Broadway Street East.

Check the "Calendar of
Events" tab (<https://www.rockvillecity.org>) to verify
the date and time of the
next meeting.

Events

PLEASE if you know of
any upcoming Rockville
events, let us know at the
COLD SPRING RECORD
to P.O. BOX 456, COLD
SPRING, MN 56320, email
csrecord@midconetwork.com
or call 320-685-8621.
Thank you.

Minutes of the
Rockville Area
Sportsman's
Club Meeting
March 2, 2026

Our meeting was called
to order by President John
Willard on March 2nd. The
February meeting minutes
were read aloud and no
changes were made. The
membership was then pre-
sented with the financial
reports, and all were ap-
proved.

For old business, we re-
visited the Pearl Lake Fish-
ing Contest. It was a great
time had by many members
and we received a thank
you card for our donation
and time. Our Music in the
Park sponsor has been
found. We will be partner-
ing with Greg and Debbe
from Riverpoint Capital
partners on the August
23rd date. Please sign up if
you are interested in work-
ing this event. As for our
upcoming parades, we will
be participating in the
Rockville and Marty St.
Patrick's day parades. We
also discussed briefly
where the building commit-
tee was at after their meet-
ing with the city. More in-
formation to come.

New business this
month we have the Stearns
County Thundering Toms
banquet invite. We will be
sponsoring again with the
\$300 sponsor package.
Members will attend on be-
half of the club. We also re-
ceived the invitation for the

Midwest Outdoors banquet.
We voted to do the sponsor
package for \$275. We
briefly discussed planning
an appreciation dinner
again for volunteers, it was
decided to table that at this
time. Jim Willard suggest-
ed that the club show ap-
preciation to both Jackie
and Amanda for the time
and mileage spent putting
the Big Buck contest to-
gether. It was decided that
they each receive a \$100
Visa gift card.

For mail we had turkey
magazines and the banquet
invites. The member draw-
ing was drawn for \$5 for
Kevin May who was not
present.

A motion to adjourn was
made and seconded. Res-
pectfully submitted by
Amanda Ponte.

Music in the
Park

Rockville Lions Park -
Near Pleasant Lake - Bring
a chair, cooler & your
neighbor!

Select Sunday after-
noons from 2 p.m. - 5 p.m.

May 31st - Julio Gold-
stein - The Miller Group at
Premier Real Estate Serv-
ices

June 14th - Terry
Dubois - All State Traffic
Control, Inc.

June 28th - Lu's Con-
certina Band - ROCORI
Area Community Founda-
tion & TBD

July 12th - MoeDeLL &
Company - Rockville Lions
Club

July 26th - Mystery
Muffin - TBD

August 9th - Yogi Un-
plugged - Bravo Burrito

August 23rd - Harper's
Chord - Rockville Area
Sportsman's Club & River-
point Capital Partners,
LLC

September 6th - Prairie
Smoke - Granite-Tops, Inc.

September 20th - Adam
Herron Band - Snappy
Lube, Inc.


Rockville Lions
Meeting

The Rockville Lions will
meet the 3rd Thursday of
each month at 7 p.m at
Stoney's Garage.

Farmers' Market

The Rockville Farmers'
Market will be held on Sun-
day May 17th, June 14th,
July 19th and August 16th
from 1 - 4 p.m. in the
Rockville City Hall parking
lot. Interested in a spot or
for more information text
Michelle George at 320-
266-0501.

Rockville Remember...



This picture and the following caption were in the *Cold Spring Record* in 1917; showing that when the young men went off to War, the gals "took up the slack". Rockville--Louise, Olivia, Ruth, Veronica and Hildegard Weisman formed a house party at the Arwalnia Cottage at Grand Lake. While "helping tie bundles" nearby. The Rockville girls are patriotic, is shown by the fact that a number of young ladies are out in the country tying bundles that the grasshoppers ate the twine off of. This is on the Veenstra farm near Grand Lake. How many Weisman girls were there?? Enjoy figuring that out!! Tудie 252-3017.

Got a Great
Local News Story?

Tell us about it today!

